
















**Double ended probe pin 両端プローブピン**  
**Outer Dia.  $\phi 0.70 \sim \phi 0.99\text{mm} / \phi 0.0276 \sim \phi 0.0390''$**

 <p>4 point Reduced crown type</p> <p><math>\phi 0.5</math> <math>\phi 0.88</math> <math>\phi 0.5</math></p> <p>7.9 4.8 2.0 1.1</p> <p>0.29N (30gf) at 1.0mm travel Full travel 1.4mm Current rating 1A</p> <p><b>8YN88D20S</b></p>	 <p>4 point crown type</p> <p><math>\phi 0.6</math> <math>\phi 0.85</math> <math>\phi 0.9</math> <math>\phi 0.6</math></p> <p>9.1 6.8 1.2 0.5 1.1 1.1</p> <p>Preload 0.04N (4gf) 0.29N (30gf) at 0.9mm travel Full travel 1.5mm Current rating 1A</p> <p><b>8YF90L91-AUI</b></p>	 <p>4 point crown type</p> <p><math>\phi 0.45</math> <math>\phi 0.85</math> <math>\phi 0.9</math> <math>\phi 0.6</math></p> <p>9.1 6.8 1.2 0.5 1.1 1.1</p> <p>Preload 0.04N (4gf) 0.29N (30gf) at 0.9mm travel Full travel 1.5mm Current rating 1A</p> <p><b>8YF90L91-F045-AUI (88Y-90L91-F045-AU)</b></p>	 <p>4 point crown type</p> <p><math>\phi 0.55</math> <math>\phi 0.85</math> <math>\phi 0.5</math></p> <p>1.4 4.0 0.6</p> <p>Preload 0.06N (6gf) 0.28N (29gf) at 0.9mm travel Current rating 1A</p> <p><b>8YJ8540G</b></p>
 <p>Expanded 4 point crown type</p> <p><math>\phi 0.55</math> <math>\phi 0.4</math> 2-<math>\phi 0.65</math> 0.2 0.3 <math>\phi 0.4</math> <math>\phi 0.75</math></p> <p>4.2 1.25 2.6 0.35</p> <p>Preload 0.079N (8gf) 0.37N (37gf) at 0.73mm travel Full travel 0.95mm Current rating 0.7A</p> <p><b>8Y065-42L10-FJ-SI</b></p>	<p>Top and bottom contacts are crown shaped</p>  <p>Expanded 4 point crown type</p> <p><math>\phi 0.55</math> <math>\phi 0.4</math> 2-<math>\phi 0.65</math> 0.2 0.3 <math>\phi 0.25</math> <math>\phi 0.4</math> <math>\phi 0.75</math></p> <p>4.2 1.25 2.6 0.35</p> <p>Preload 0.079N (8gf) 0.37N (37gf) at 0.73mm travel Full travel 0.95mm Current rating 0.7A</p> <p><b>8Y065W-42L10-FJ-SI</b></p>	 <p>4 point crown type</p> <p><math>\phi 0.32</math> <math>\phi 0.7</math> <math>\phi 0.6</math> <math>\phi 0.32</math></p> <p>7.2 5.5 1.1 0.6</p> <p>Preload 0.04N (4gf) 0.29N (30gf) at 0.9mm travel Full travel 1.7mm Current rating 0.7A</p> <p><b>8YF70L72</b></p>	 <p>4 point crown type</p> <p><math>\phi 0.32</math> <math>\phi 0.7</math> <math>\phi 0.6</math> <math>\phi 0.32</math></p> <p>7.2 5.5 1.1 0.6</p> <p>0.392N (40gf) at 0.9mm travel Full travel 1.2mm Current rating 0.7A</p> <p><b>8YF70L72-AU</b></p>

**Double ended probe pin 両端プローブピン**  
**Outer Dia.  $\phi 0.70 \sim \phi 0.99\text{mm} / \phi 0.0276 \sim \phi 0.0390''$**

 <p>4 point crown type</p> <p>0.1N (10gf) at 0.9mm travel          Full travel 0.9mm          Current rating 0.5A</p> <p><b>8YF80L33-CRCNI</b></p>	<p>High Temperature spec  <math>-40^{\circ}\text{C} \sim +150^{\circ}\text{C}</math></p>  <p>4 point crown type</p> <p>0.218N (22.2gf) at 0.50mm travel          Full travel 0.6mm          Current rating 0.5A</p> <p><b>8YF74L38-22G</b></p>	 <p>4 point crown type</p> <p>Preload 0.037N (3.77gf)          0.12N (12.24gf) at 0.55mm travel          Full travel 0.6mm          Current rating 0.5A</p> <p><b>8YF70L255-12GI</b></p> <p style="text-align: right;">標準品</p>	 <p>4 point crown type</p> <p>Preload 0.043N (4.38gf)          0.137N (14.07gf) at 0.55mm travel          Full travel 0.6mm          Current rating 0.5A</p> <p><b>8YF73L255-14GI</b></p> <p style="text-align: right;">標準品</p>
 <p>4 point crown type</p> <p>0.343N (35gf) at 0.45mm travel          Full travel 0.6mm          Current rating 1A</p> <p><b>8YF90L38-AU</b></p>	<p>High Temperature spec  <math>-40^{\circ}\text{C} \sim +150^{\circ}\text{C}</math></p>  <p>4 point crown type</p> <p>Preload 0.027N (2.8gf)          0.12N (12.24gf) at 0.55mm travel          Full travel 0.6mm          Current rating 0.5A</p> <p><b>8YF70L255-12G-SUS-L</b></p>	<p>High Temperature spec  <math>-40^{\circ}\text{C} \sim +150^{\circ}\text{C}</math></p>  <p>4 point crown type</p> <p>Preload 0.032N (3.3gf)          0.137N (14.07gf) at 0.55mm travel          Full travel 0.6mm          Current rating 0.5A</p> <p><b>8YF73L255-14G-SUS-L</b></p>	

**Double ended probe pin 両端プローブピン**  
**Outer Dia.  $\phi 0.70 \sim \phi 0.99\text{mm} / \phi 0.0276 \sim \phi 0.0390''$**

<p>High Temperature spec -40°C~+150°C</p> <p>4 point crown type <math>\phi 0.38</math> <math>\phi 0.3</math> 0.7 4.1 0.5 2.2 <math>\phi 0.64</math> <math>\phi 0.72</math> <math>\phi 0.64</math> 0.4 <math>\phi 0.38</math></p> <p>0.32N (33gf) at 0.65mm travel Full travel 1.0mm Current rating 0.7A</p> <p><b>8YF72L52-TP33G</b></p>	<p>High Temperature spec -40°C~+150°C</p> <p>Palladium Alloy 4 point crown type <math>\phi 0.38</math> <math>\phi 0.3</math> 0.7 4.1 0.5 2.2 <math>\phi 0.64</math> <math>\phi 0.72</math> <math>\phi 0.64</math> 0.4 <math>\phi 0.38</math></p> <p>0.32N (33gf) at 0.65mm travel Full travel 1.0mm Current rating 0.7A</p> <p><b>8YF72L52-TP33G-PD</b></p>		

**Double ended probe pin 両端プローブピン**  
**Outer Dia.  $\phi 0.70 \sim \phi 0.99\text{mm} / \phi 0.0276 \sim \phi 0.0390''$**

<p>4 point Reduced crown type  <math>\phi 0.38</math>  <math>\phi 0.64</math>  <math>\phi 0.72</math>  <math>\phi 0.64</math>  <math>\phi 0.38</math></p> <p>0.359N (36.6gf) at 0.75mm travel          Full travel 0.9mm          Current rating 0.7A</p> <p><b>8YF72L60-TP35-BI</b></p>	<p>Palladium Alloy  <math>\phi 0.38</math>  <math>\phi 0.64</math>  <math>\phi 0.72</math>  <math>\phi 0.64</math>  <math>\phi 0.38</math></p> <p>0.359N (36.6gf) at 0.75mm travel          Full travel 0.9mm          Current rating 0.7A</p> <p><b>8YF72L60-TP35-PDEE</b></p>	<p>4 point crown type  <math>\phi 0.38</math>  <math>\phi 0.64</math>  <math>\phi 0.72</math>  <math>\phi 0.64</math>  <math>\phi 0.38</math></p> <p>0.359N (36.6gf) at 0.75mm travel          Full travel 0.9mm          Current rating 0.7A</p> <p><b>8YF72L60-TPCRN35</b></p>	<p>4 point crown type  <math>\phi 0.45</math>  <math>\phi 0.85</math>  <math>\phi 0.45</math></p> <p>0.296N (30.2gf) at 0.8mm travel          Full travel 1.3mm          Current rating 1A</p> <p><b>8YF85L60G-SA-AI</b></p>
<p>4 point crown type  <math>\phi 0.45</math>  <math>\phi 0.85</math>  <math>\phi 0.45</math></p> <p>0.343N (35gf) at 0.8mm travel          Full travel 1.1mm          Current rating 1A</p> <p><b>8YF85L60G-SA-ABI</b></p>	<p>4 point crown type  <math>\phi 0.88</math>  <math>\phi 0.5</math>  <math>\phi 0.5</math></p> <p>0.293N (29.9gf) at 0.9mm travel          Full travel 1.3mm</p> <p><b>8YF88L75-MI</b></p>	<p>4 point Reduced crown type  <math>\phi 0.4</math>  <math>\phi 0.82</math>  <math>\phi 0.9</math>  <math>\phi 0.82</math>  <math>\phi 0.5</math></p> <p>0.196N (20gf) at 0.8mm travel          Full travel 1.1mm          Current rating 1A</p> <p><b>8YF90L57-TG</b></p>	<p>4 point crown type  <math>\phi 0.55</math>  <math>\phi 0.85</math>  <math>\phi 0.91</math>  <math>\phi 0.55</math></p> <p>0.294N (30gf) at 0.8mm travel          Full travel 1.0mm          Current rating 1A</p> <p><b>8YF90L60-30G</b></p>

**Double ended probe pin 両端プローブピン**  
**Outer Dia.  $\phi 0.70 \sim \phi 0.99\text{mm} / \phi 0.0276 \sim \phi 0.0390''$**

<p>High Temperature spec -40°C ~ +150°C</p> <p>4 point Reduced crown type</p> <p>0.293N (29.9gf) at 2.0mm travel Full travel 3.0mm Current rating 1A</p> <p><b>8YF88L261-TPCI</b></p>	<p>High Temperature spec -40°C ~ +150°C</p> <p>4 point crown type</p> <p>0.293N (29.9gf) at 2.0mm travel Full travel 3.0mm Current rating 1A</p> <p><b>8YF88L261-SE-0</b></p>	<p>4 point crown type</p> <p>0.42N (42.8gf) at 1.6mm travel Full travel 2.6mm Current rating 1A</p> <p><b>8YF88L261-F090-CRW</b></p>	
<p>4 point Reduced crown type</p> <p>0.392N (40gf) at 0.9mm travel Full travel 1.2mm Current rating 0.7A</p> <p><b>8YF70L72-AUTP</b></p>	<p>4 point crown type</p> <p>0.294N (30gf) at 0.9mm travel Full travel 1.2mm Current rating 0.7A</p> <p><b>8YK-D70H-L97-11</b></p>	<p>4 point crown type</p> <p>0.195N (20gf) at 3.0mm travel Full travel 3.7mm</p> <p><b>8YF70L150-SUSI</b></p>	